SAEET 2025 TECHNICAL GUIDE



UNIVERSITY OF GEORGIA.

TABLE OF CONTENTS

01	EXECUTIVE SUMMARY PAGE 3
02	ARE EVS AND EV CHARGERS SAFE?
	HOW SAFE IS INDOOR CHARGING? IS IT SAFE TO CHARGE IN A PARKING DECK?
	PAGE 4-6
03	GAS/DIESEL, HYBRIDS AND EVS: A SIDE-BY-SIDE RISK ASSESSMENT
	PAGE 7
04	EV FIRE SAFETY BEST PRACTICES BY SECTOR PAGE 8-11
05	WHAT EV OWNERS SHOULD KNOW: BEST PRACTICES AND TIPS PAGE 12-15
06	KEY EV FIRE SAFETY TECHNOLOGIES AND THEIR APPLICATIONS PAGE 16-19
07	EV FIRE SAFETY: US TRAINING & PUBLIC SAFETY RESOURCES PAGE 20
08	CONCLUSION: A LIVING FRAMEWORK FOR A RAPIDLY EVOLVING LANDSCAPE & LOOKING FORWARD PAGE 21
09	ABOUT GNEM AND THE UNIVERSITY OF GEORGIA E-MOBILITY INITIATIVE PAGE 22
10	REFERENCES PAGE 23



EXECUTIVE SUMMARY

Electric vehicles (EVs) are driving one of the most important technological shifts of the 21st century. As governments, fleets, and other consumers and stakeholders begin to transition to emerging technologies, EVs are expected to account for over half of all new car sales globally by 2030. This transition isn't just about electrifying transportation, it's reshaping how we design infrastructure, deliver energy, and respond to emergencies.

Yet, one critical issue remains under-addressed: fire safety. The pace of EV adoption has outstripped the development of unified safety standards, response protocols, and fire prevention measures. Across cities and regions, fire departments, utilities, and developers often operate in a fragmented landscape without consistent guidance, leaving gaps in preparedness, especially in urban areas where EV infrastructure is rapidly expanding.

Lithium-ion batteries, the heart of modern EVs, are efficient but come with unique risks. Under certain conditions, such as mechanical damage, overheating, or manufacturing defects, they can undergo thermal runaway, a chain reaction that rapidly increases heat, releases toxic gases, and ignites fires that can spread or reignite hours later. Though significantly rarer, these fires differ from traditional fuel fires: they're harder to extinguish, unpredictable in behavior, and require specialized response techniques.

Many first responders lack access to updated high-voltage schematics, protective gear, and scenario-specific training. In addition, safety technologies, such as battery heat diagnostics, smoke detectors, and automated disconnect systems, remain inconsistently adopted across installations, despite their potential to prevent or contain incidents.

Some regions are beginning to respond. As mentioned in our June 2025 whitepaper, Atlanta enacted a pioneering EV Readiness Ordinance requiring new developments to include both EV charging infrastructure and fire safety provisions, such as spacing requirements, disconnect systems, and fire-resistant design features in enclosed garages. At the national level, the U.S. is also taking steps by adopting ISO 17840, giving emergency responders real-time access to standardized vehicle schematics.

To keep pace with EV growth, fire safety can no longer be an afterthought. It must be integrated into building codes, emergency training, and infrastructure planning from the start.



ARE EVS AND EV CHARGERS SAFE?

Electric vehicles and their associated charging systems are widely considered safe when designed, installed, and operated according to recognized standards and protocols. EVs are statistically safer than their internal combustion engine (ICE) counterparts in terms of overall fire risk, with fire incident rates between 1 in 30,000 and 1 in 100,000 vehicles sold, depending on the region and data source.

A common misconception is that EV batteries can spontaneously combust. However, data shows that battery ignition generally requires an external trigger such as:







Severe physical impact (e.g., traffic collision)

Exposure to sustained high temperatures or open flame

Significant manufacturing defect or electrical short circuit

Modern EVs are engineered with multilayered protections, including:

- Thermal barriers between individual battery cells
- Pressure release vents to safely discharge gases
- Battery Management Systems (BMS) to monitor charging rates and cell temperatures
- Intelligent software that limits overcharging and excessive current flow

Thermal runaway, the key hazard associated with EV batteries, occurs when one cell in a battery pack overheats and triggers adjacent cells to also overheat, leading to a potentially catastrophic chain reaction. During such an event, internal temperatures can exceed 1,000°C (1,832°F), creating flames, toxic gas plumes (including hydrogen fluoride and carbon monoxide), and risk of re-ignition even after initial suppression.


HOW SAFE IS INDOOR CHARGING?



Indoor EV charging is generally very safe; especially when certified equipment is installed by licensed professionals in accordance with National Electrical Code (NEC) and UL (Underwriters Laboratories) standards. Key safety features include:

- Adequate ventilation to manage heat and fumes
- Ground Fault Circuit Interrupters (GFCIs), safety devices that detect imbalances in electrical current and rapidly shut off power to prevent electric shock, installed on dedicated circuits
- · Flame retardant insulation and materials
- · Emergency disconnect switches and signage

Fires during EV charging are extremely rare, with incident rates below 0.03% per charger per year. Most EV fires occur after crashes or due to battery defects, not from charging itself. When charging-related fires do occur, they're usually linked to uncertified equipment or improper installation.



IS IT SAFE TO CHARGE IN A PARKING DECK?




Yes, charging in parking decks is safe when proper safety infrastructure is in place. However, it is important to note that some locations within a deck offer better ventilation, lighting, and accessibility than others. Most modern parking facilities include key safety features such as:

- · Fire-rated construction materials to contain and slow the spread of fire
- Smoke detectors and sprinkler systems for early detection and automated response
- Adequate spacing and ventilation to prevent heat and gas buildup
- Clearly marked emergency shutoffs near EV chargers for rapid response

EV chargers in parking decks should also be sited with consideration for fire safety and first responder access to standpipes and emergency equipment. For example, installing chargers in the center of a deck or along a rear wall may hinder emergency response by limiting access to critical infrastructure.

Some jurisdictions require enhanced ventilation and toxic gas mitigation systems, such as hydrogen fluoride sensors, in enclosed parking structures. When these safeguards are combined with certified charging equipment and professional installation, EV charging in parking decks poses minimal risk and is often safer than traditional fueling at gas stations.



SIDE-BY-SIDE FIRE RISK ASSESSMENT (GAS/DIESEL, HYBRIDS, EVS)



HYBRID VEHICLES



FIRE INCIDENCE RATE

~1 in 1,200 vehicles (~8.333 fires per 100,000)

~1,530 fires per 100,000

~1-25 fires per 100,000

PRIMARY FIRE CAUSE

Fuel leaks, vapor ignition form sparks or engine heat, flammable liquid spills. **Diesel:** Ruptures, turbo overheating

Combination of fuel leaks and battery faults, wiring insulation breakdown, hybrid system overheating Battery damage, thermal runaway from overcharging, mechanical impact, internal short

REFUELING/ CHARGING RISK

Highly flammable vapor clouds, ~5,000 pump fires/year in the U.S. **Diesel:** Vapor ignition, static discharge

Combined risk: fuel tank ignition + highvoltage incidents (e.g., regen braking, battery stress) <100 charger fires/year globally; thermal overload or installation faults possible

TIME TO FIRE ONSET

Seconds to minutes post-impact. **Diesel:** Often immediate after rupture or leak

Varies: seconds (fuel) to hours (battery); mixed onset timing Hours to days postcollision; thermal runaway can be delayed

FIRE SEVERITY

Gasoline: Moderate to high intensity, fast-spreading flames. **Diesel:** Severe, high soot

and pressurized sprays

Severe; dual fuel and battery sources, emits toxic gases Very high intensity, persistent, reignition risk, chemical emissions


EV FIRE SAFETY SOLUTIONS BY SECTOR

As EV adoption continues to accelerate, the burden of fire safety responsibility must be shared across sectors, from first responders to grid managers, charger manufacturers, and everyday EV users. Each group occupies a unique position within the broader EV ecosystem, and their preparedness directly influences how effectively fire risks are identified, mitigated, and responded to. This section offers a sector-by-sector guide to critical technologies, policies, and practices essential for preventing and managing electric vehicle fires; grounded in international technical standards and real-world deployment strategies.

BEST PRACTICES FOR FIRE DEPARTMENTS



BEST PRACTICES FOR ELECTRICAL UTILITIES



BEST PRACTICES FOR EV CHARGER OEMS & INSTALLERS



BEST PRACTICES FOR FIRE DEPARTMENTS




Fire departments serve as the frontline of defense during EV fire incidents, and they face one of the most urgent mandates in the EV fire safety equation. Unlike traditional fires, lithiumion battery fires can re-ignite after being extinguished, emit toxic vapors, and reach extreme temperatures, requiring specialized tools and methods. Firefighters must evolve alongside EV technology to remain effective in safeguarding public safety. This means rethinking response strategies, modernizing apparatus, and ensuring that fire crews are equipped with the knowledge and tools to tackle multi-phase and high-voltage fire scenarios. Additionally, fire departments must adopt data-driven training approaches and simulation environments to prepare for the rare but high-risk nature of EV fires. Systemic coordination with city planners, utilities, and OEMs is also required to ensure preparedness is not isolated but integrated across emergency response networks.

- Use Thermal Imaging in Multi-Phase Fire Response
- **Submersion Readiness:** Mobile submersion containers or water tanks for thermal events
- Equip Crews for High-Voltage Response: Arc-rated PPE, insulated tools, ISO 17840 rescue sheets
- Enhance Garage Ventilation Response: High-capacity fans, smoke detectors, integrated schematics
- Upgrade Apparatus & Gear: Telescopic cameras, foam-safe extinguishers, mobile cooling pods
- Adopt Smart Helmets: AR overlays of schematics and thermal maps, LTE/5G connected
- Train with VR Simulators: Simulate public charger and battery fires
- **Engage Communities:** Safety workshops, EVSE audit support, fire prevention checklists

Note: These are best-in-class considerations especially for dense, urban areas. Rural areas may not need the same level of technological resources on hand



BEST PRACTICES FOR ELECTRICAL UTILITIES



Electrical utilities are the backbone of EV charging infrastructure. As charging demand surges, so do the risks of transformer overload, thermal stress, and electrical faults within distribution networks. Utilities must consider transitioning from passive grid monitoring to predictive, AI-driven analytics that identify vulnerabilities before they escalate. Coordination with fire departments and smart grid adaptation will be essential in supporting a safe and sustainable EV charging ecosystem. As charging stations proliferate across urban and suburban landscapes, electrical utilities are faced with the challenge of ensuring grid resilience under variable loads. Unanticipated thermal stress and backfed energy from bidirectional charging systems can lead to transformer failures or electrical fires. It is vital for utilities to implement predictive maintenance, adopt fire-resistant materials, and develop coordinated protocols with emergency responders to quickly address electrical faults.

- Monitor Transformer Health in Real Time: IoT sensors for temperature/stress tracking
- Predict and Prevent Grid Fires: All powered anomaly detection and power rerouting
- Reinforce Substation Safety: Fire resistant cables (EN 60332), suppression systems
- Prepare for Bidirectional Load Surges: Account for V2G system heat risks
- Coordinate with First Responders: Share grid maps and emergency shutdown protocols



BEST PRACTICES FOR EV CHARGER OEMS & INSTALLERS



The design, installation, and maintenance of EV charging equipment is foundational to fire prevention. Charger manufacturers and installers are on the frontlines of safety, responsible not only for meeting stringent electrical codes but also for anticipating real world operating conditions. This includes accounting for environmental exposure, thermal loads, and component degradation over time. The integration of smart sensors, remote diagnostics, and robust shutdown mechanisms are baseline requirements for a fire-safe charging ecosystem.

To ensure full protection, a layered approach is essential, i.e., combining "smart" systems (like cloud alerts and predictive sensors) with "dumb" systems (like thermal fuses, fireproof enclosures, and fire suppression). These layers act as redundant safeguards: if one misses, the other contains. Together, they predict, prevent, and protect.

- Conduct Fire Risk Assessments: Evaluate site, airflow, cable distance, wall materials
- Include Smart Thermal Shutoff: Stop charging if connector exceeds 60°C
- Install per International Standards: IEC 60364-7-722 (EVSE), IEC 62752 (in-cable protection)
- Enable Automatic Maintenance Alerts: Log critical issues and alert stakeholders
- Implement Digital Charger Passports: Cloud-based IDs for every charger unit
- **Support Annual Inspections:** Ensure service history, detect thermal degradation

Note: Conduct your own ambient temperature factors. Size by ambient temp factors in each location. Baseline of 60-75 C based on current industry availability



WHAT EV OWNERS SHOULD KNOW

EV owners, whether individuals or large-scale fleet operators, play a vital role in upholding fire safety. Proper charging habits, timely maintenance, and awareness of early warning signs can mean the difference between a minor incident and a catastrophic fire. With the convenience of home charging comes increased responsibility, particularly in ensuring installations meet safety codes and that components are regularly checked for wear or overheating. This section equips users with key practices for safe charging and maintenance, whether at home, in commercial buildings, or on the road. It also emphasizes the importance of engaging with certified electricians and adhering to manufacturer guidelines. Owners must view their EV not simply as a car but as an advanced, high voltage system requiring educated use and proactive vigilance. By fostering a culture of fire safety literacy, we can empower users to prevent risks and respond effectively should a fire event occur.

FOR RESIDENTIAL OWNERS



FOR REAL ESTATE DEVELOPERS & PROPERTY MANAGERS



FOR COMMERCIAL & FLEET OPERATORS



FOR RESIDENTIAL OWNERS



Homeowners play a crucial role in ensuring that EV charging at home is both safe and sustainable. As EV adoption rises, residential charging setups must beyond go convenience and reflect long-term fire safety best practices. From the garage layout to the electrical panel, every component should be designed with risk mitigation in mind. Using certified chargers, ensuring proper equipment spacing, and planning for electrical load capacity are all essential to reducing hazards. Homeowners should consult licensed electricians to assess whether panel upgrades or dedicated circuits are needed, especially in older homes. Proactive collaboration with local code authorities and, where possible, fire safety professionals can help ensure installations meet current standards and are safely maintained over time. By taking a systems-based approach to EV charging, one that prioritizes both safety and future scalability, residential owners can protect homes, their families. and investments for years to come.

- Use Certified Chargers: Always purchase UL-listed Level 2 chargers. These meet national safety standards.
- Hire Licensed Electricians:

 Installation should follow National
 Electrical Code (NEC) standards,
 particularly NEC Article 625.
- Avoid Extension Cords: These can overheat and create fire hazards
- Install GFCI Protection: Ground fault circuit interrupters prevent electric shocks and reduce fire risk.
- Ventilation Matters: Charging in a garage? Ensure adequate airflow to prevent overheating.
- Regular Inspection: Check cables, connectors, and outlet wear every few months.



FOR REAL ESTATE DEVELOPERS & PROPERTY MANAGERS



As electric vehicles become more common, residential owners must treat home charging with the same care as any major electrical system. EV charging introduces sustained high-voltage demand, which, if poorly managed, can pose serious fire and safety risks. Using certified equipment and hiring licensed electricians helps ensure code compliance minimizes the chance of electrical faults. Many older homes may also need panel upgrades or dedicated circuits safely to support Level 2 charging. Common hazards often stem from oversights, like simple using extension cords, ignoring worn cables, or charging in garages with poor ventilation. Regular inspections and proper airflow are key to preventing heat buildup and maintaining system safety. By approaching EV charging as a long-term safety investment, homeowners can better protect both their property and their families.

- Plan for Load Management:
 Anticipate increased electrical demand and install load-balancing systems.
- Implement Smart Charging
 Stations: These monitor usage and prevent overcharging or overheating.
- Comply with Local and National Codes: Familiarize with NFPA 70 (NEC), IBC, and state fire codes.
- Future-Proof Infrastructure: Design parking areas to be EV-ready with conduit pathways and appropriate power capacity.
- **Post Safety Signage:** Clearly mark emergency shutdowns and provide instructions for users.
- Routine System Checks: Partner with certified inspectors or original charge point installers to audit and maintain systems annually.



FOR COMMERCIAL & FLEET OPERATORS



Commercial and fleet operators face unique fire safety challenges due to the high utilization and scale of their EV operations. With multiple vehicles simultaneously, even a single incident can disrupt logistics, damage infrastructure, and pose serious safety risks. To prevent this, operators must adopt a layered fire risk mitigation strategy, starting with certified hardware, thermal charging monitoring well-defined systems, and emergency shutdown protocols. Regular maintenance, staff training, and inspection routines are essential to catching early warning signs before they escalate. Ongoing coordination manufacturers, with charger insurers, regulators, and local emergency services helps ensure operations remain aligned with the latest safety standards and response strategies.

Equally critical is the integration of fire-safe logistics protocols: such as dedicated buffer zones battery-equipped vehicles, temperature-controlled staging during transport, and isolation procedures for suspect units, especially during long-haul, warehouse, or maritime operations. Battery packs in transit or parked in dense depot settings must be treated as energy-dense assets with the same fire zoning and containment considerations as flammable cargo.

- Use Industrial-Grade Chargers: Ensure they meet UL 2202, UL 2231, and SAE J1772 standards.
- Central Monitoring: Install software that tracks thermal and electrical activity in real time.
- Implement Emergency
 Protocols: Train staff on fire response and charger shutdown procedures.
- Thermal Imaging Audits: Use infrared scans quarterly to detect overheating components.
- Battery Management Systems
 (BMS): Use BMS-equipped
 vehicles to prevent
 overcharging or deep
 discharging.
- Insurance & Compliance: Work with insurers familiar with EV risks and comply with NFPA 855 for energy storage safety.



KEY EV FIRE SAFETY TECHNOLOGIES AND THEIR APPLICATIONS

As EV adoption expands across urban centers, highways, and residential infrastructure, so does the need for technologies that can mitigate, detect, suppress, and respond to the unique fire risks associated with lithium-ion batteries. EV fires behave differently than traditional vehicle fires: they often involve delayed ignition, high-intensity heat, toxic off-gassing, and the potential for thermal runaway to propagate across battery cells or adjacent vehicles.

Fortunately, a growing spectrum of fire safety technologies is emerging to address these challenges at every stage, from early detection and incident prevention to suppression, containment, and post-incident recovery. These tools are designed not just for fire departments, but also for charger manufacturers, property developers, utilities, municipal planners, and the general public.

This section outlines the most critical EV fire safety technologies currently in use or in development, how they function, and where they fit within the broader EV ecosystem. Some are mature and commercially available; others are cutting-edge or under pilot deployment. Together, they represent the building blocks of a modern, multi-layered approach to EV fire risk management.

EV FIRE SAFETY TECHNOLOGIES RANGING FROM MONITORING AND MAINTENANCE TO FIRE SUPPRESSION AND EXTINGUISHING

MONITORING AND MAINTENANCE CRITICAL RESPONSE TIME LIMITING GAS EFFECTS AND CROSS PROPAGATION

DECOMMISSIONING /DISCHARGING THE BATTERY FIRE SUPPRESSION AND EXTINGUISHING



MONITORING AND MAINTENANCE

PRIMARY DESCRIPTION LIMITATIONS FUNCTION VESDA (VERY A high-sensitivity smoke Detects microscopic High cost, requires **EARLY SMOKE** detector that detects early particles before regular calibration combustion particles prior **DETECTION** visible smoke and maintenance. to visible flames or smoke **APPARATUS)** Infrared cameras spot Needs line-of-sight THERMAL battery hotspots or Detects heat and trained **IMAGING** leftover heat after a fire hotspots during and operators; may miss to check for risk of reafter fires **CAMERAS** hidden sources. ignition. IOT Real-time sensors track Requires wide Monitors transformer **TRANSFORMER** stress and issues in sensor deployment heat/load near EV transformers near EV hubs and stable HEALTH clusters to help prevent fires. power/connectivity. **SENSORS** AI monitors charging data AI-BASED GRID to predict power surges, Needs large datasets Predicts overloads **MONITORING** find faults, and safely and integration with and electrical risks reroute electricity to utility infrastructure. **SYSTEMS** reduce fire risk. Cloud-linked logs track **DIGITAL** Dependent on system service history, thermal Stores maintenance **CHARGER** interoperability and events, and firmware and thermal logs data accuracy. updates for each EV **PASSPORTS**

charger.

CRITICAL RESPONSE TIME

PRIMARY FUNCTION

DESCRIPTION

LIMITATIONS

AUTOMATIC THERMAL SHUTDOWN IN CHARGERS

Prevents overheating of connectors and circuits

Sensors detect overheating (e.g., above 60°C) and automatically shut down the charging system.

Doesn't fix the underlying fault; might need manual checks.

REMOTE SHUTDOWN SYSTEM

Remotely deactivates EVSE/vehicle systems

Enables remote shutdown of chargers or EVs during overheating, faults, or failures to prevent fire risk.

Depends on reliable communications and response time.

LIMITING GAS EFFECTS AND CROSS PROPAGATION

PRIMARY FUNCTION

DESCRIPTION

LIMITATIONS

FIRE BLANKETS
FOR EVS

Temporarily contains fire and slows heat spread for 15–30 minutes, giving responders time to act.

Heat-resistant blankets cover burning vehicles to smother flames and stop the fire from spreading. Bulky and hard to apply in confined or chaotic spaces; some safety and quality issues depending on suppliers

GFCI (GROUND FAULT CIRCUIT INTERRUPTERS)

Cuts power during unsafe leakage

Detects stray current paths (e.g., water or humans) and cuts circuits to prevent shocks or fire. May trip unnecessarily outdoors or in high-humidity environments.

IEC & UL-COMPLIANT CHARGER DESIGN

Ensures safety through certified infrastructure

Ensures chargers meet fire safety codes (IEC 60364-7-722, UL 2594), including insulation, clearances, and fault protection.

Compliance doesn't prevent all hazards; relies on proper inspection and enforcement.

DECOMMISSIONING/DISCHARGING THE BATTERY

PRIMARY FUNCTION

DESCRIPTION

LIMITATIONS

QR-CODE ACCESSIBLE RESCUE SHEETS

Quick access to EV rescue instructions

Stickers link to ISO 17840 guides showing cut zones, battery layout, and high-voltage shutoff points.

Requires smartphone/internet access and trained responders.

AR- ENABLED SMART HELMETS

Enhance responder situational awareness

Augmented reality displays EV schematics, hazards, and heat maps to guide safe firefighting.

Expensive, requires connectivity, limited runtime.

FIRE SUPPRESSION AND EXTINGUISHING

PRIMARY FUNCTION

DESCRIPTION

LIMITATIONS

SUBMERSION CONTAINERS

Cools and isolates runaway battery fires

Large water tanks or containers are used to submerge and put out burning EVs or batteries.

Heavy and difficult to transport or deploy in all locations.

VR FIRE RESPONSE SIMULATORS

Immersive training for EV fire scenarios

Virtual simulations of EV fires help train responders in firefighting techniques and handling high-stress situations.

Not applicable in live emergencies; only useful for training.



U.S. DOMESTIC EV FIRE SAFETY TRAINING & PUBLIC RESOURCES

For First Responders & Emergency Services

National Fire Protection Association (NFPA) – Alternative Fuel Vehicles Safety Training Online and instructor-led training for EV and hybrid fire response. Topics include highvoltage systems, extrication, and thermal runaway.

<u>Access</u>

U.S. Fire
Administration
(USFA) – EV Fire
Safety and
Prevention Guides

Reports and outreach tools including emergency response guides and fire stats.

Access

Texas A&M
TEEX – EV
Safety for First
Responders
(CEF102)

A free 2.5-hour course covering EV fire awareness and incident response.

<u>Access</u>

National
Alternative
Fuels Training
Consortium
(NAFTC)
Training for
first responders
and
technicians,
online and

Access

hands-on.

For Industry Professionals (Utilities, Installers, Fleet Managers)

OSHA & NREL – EV Infrastructure Safety Awareness

Technical bulletins and electrical/fire safety guidance for EVSE installations.

Access

SAE International – EV Fire Safety and Battery Hazard

Mitigation
Standards and modules on
hazard control, thermal

hazard control, thermal management, and compliance.

<u>Access</u>

Eco Auto – In-Person Charger & Rescue Training

Emergency protocols and suppression training for charger installers and responders.

Access

For the General Public

USFA Fire
Prevention
Outreach – EV
Safety Factsheets
Home charging,
lithium-ion safety,
and extension cord
risk education.

Access

National Renewable Energy Laboratory (NREL) – Home EV Charging Safety Guides for proper installation, ventilation, and safety compliance.

Access

Plug In America – EV Consumer Safety Tips

Covers safe charging practices, fire prevention tips, and user FAQs.

<u>Access</u>

Your Local Utility
Providers (e.g.,
PG&E, Georgia
Power, Con Edison)
Many utilities offer
EV safety checklists,
installation rebates,
and fire support
lines.

CONCLUSION: A LIVING FRAMEWORK FOR A RAPIDLY EVOLVING LANDSCAPE

As noted in our June 2025 whitepaper release, Georgia EV Fire Safety Brief 2025: Bridging local policy in Atlanta with a Call for a Universal Standard, cities like Atlanta, Boston, and Los Angeles, along with regions like the European Union and Australia, have shown that EV fire safety can be embedded in infrastructure from the start, without slowing innovation or delaying decarbonization goals. Their proactive leadership provides a model for others.

But the broader picture remains fragmented. Without global alignment on standards, training, data, and enforcement, lessons learned in one country may arrive too late in another. And without urgent investment in fire safety infrastructure, the rapid pace of EV adoption could outstrip our ability to contain its risks.

To move forward, the global EV community (governments, automakers, utilities, responders, developers) must treat fire safety not as a side concern, but as a pillar of safe electrification. This means building systems that are:

- Standardized across jurisdictions
- Data-driven and responsive to real-time risk
- Equitable, ensuring access to safety tools and training for all
- Integrated, from charger installation to battery disposal

Without this alignment, we risk repeating the early fragmentation of EV infrastructure, but with far more severe consequences.

LOOKING FORWARD

This guide is not a static summary of technical best practices. It is meant to be a living resource, reflecting the state of knowledge and policy as of 2025. As technologies mature, batteries evolve, charger designs shift, and ambient temperature and climate conditions intensify, so too will fire safety strategies. Future editions of this guide will integrate new data, updated standards, pilot program outcomes, and evolving regulatory landscapes.

Fire safety is not just a technical obligation; it is a matter of public trust. A universal, adaptive, and forward-looking EV fire safety framework is essential not only to protect lives but also to sustain the momentum of the advanced mobility future.

ABOUT GNEM AND THE UNIVERSITY OF GEORGIA E-MOBILITY INITIATIVE

The Georgia Network for Electric Mobility (GNEM) was established to advance the State of Georgia's leadership in electric mobility through multidisciplinary research, workforce development, community engagement, and collaborative partnerships. Aligned with the mission of the university, GNEM seeks to foster economic growth, drive technological innovation, and position Georgia as a global leading ecosystem in electric vehicle technology.

This white paper serves as a strategic document, offering data-driven guidance to stakeholders, policymakers, and industry leaders on the evolving landscape of electric mobility and Georgia's emerging role. It provides a comprehensive analysis of historical trends, current opportunities, and future outlooks, establishing a foundation for strategic decision-making in electric mobility and future whitepapers related to this work.



REFERENCES

- 1.International Energy Agency (IEA). (2024, April 23). More than 1 in 4 cars sold worldwide this year is set to be electric as EV sales continue to grow. https://www.iea.org/news/more-than-1-in-4-cars-sold-worldwide-this-year-is-set-to-be-electric-as-ev-sales-continue-to-grow
- 2.RMI. (2024, May 9). EVs to surpass two-thirds of global car sales by 2030, putting at risk nearly half of oil demand. https://rmi.org/press-release/evs-to-surpass-two-thirds-of-global-car-sales-by-2030-putting-at-risk-nearly-half-of-oil-demand-new-research-finds/
- 3. City of Atlanta. (2024, May 15). Atlanta Fire Rescue Department receives \$2.2 million federal grant for firefighter cancer prevention. https://www.atlantaga.gov/Home/Components/News/News/10258
- 4. Electronic Code of Federal Regulations (eCFR). (n.d.). 49 CFR § 561.6 Reporting requirements. https://www.ecfr.gov/current/title-49/subtitle-B/chapter-V/part-561/section-561.6
- 5. National Transportation Safety Board (NTSB). (2001, November). Highway Special Investigation Report: Bus Crashworthiness (NTSB/SR-01/01). https://www.ntsb.gov/safety/safety-studies/Documents/SR2001.pdf
- 6.CTIF. (n.d.). ISO 17840: Information for OEMs, manufacturers, and decision-makers within transportation & logistics. https://ctif.org/iso-17840-information-oems-manufacturers-and-decision-makers-within-transportation-logistics-intro
- 7.CTIF. (n.d.). ISO 17840: The first worldwide firefighters' standard. https://ctif.org/commissions-and-groups/iso-17840-first-worldwide-firefighters-standard
- 8. Reuters. (2025, April 15). China to tighten EV battery rules to reduce fire, explosion risks. https://www.reuters.com/business/autos-transportation/china-tighten-ev-battery-rules-reduce-fire-explosion-risks-2025-04-15
- 9.U.S. Fire Administration (USFA). (2024, April 18). Emergency response guides for electric vehicles and lithium-ion batteries. https://www.usfa.fema.gov/blog/emergency-response-guides-for-electric-vehicles-and-lithium-ion-batteries
- 10. The Guardian. (2024, March 16). NSW announces compulsory training for firefighters to deal with electric vehicle incidents. https://www.theguardian.com/australia-news/2024/mar/16/nsw-announces-compulsory-training-for-firefighters-to-deal-with-electric-vehicle-incidents
- 11. Fire & Safety Journal Americas. (2024, April 22). New technologies address battery safety concerns following electric vehicle fire incidents. https://fireandsafetyjournalamericas.com/new-technologies-address-battery-safety-concerns-following-electric-vehicle-fire-incidents
- 12. Georgia Department of Economic Development. (2022). Hyundai Motor Group to Invest \$5.54 Billion in Georgia. https://georgia.org/press-release/hyundai-motor-group-invest-554-billion-georgia-first-fully-dedicated-electric-vehicle
- 13. Environmental Defense Fund. (2024). U.S. Electric Vehicle Manufacturing Investments and Jobs. https://www.edf.org/sites/default/files/2024–
- 14. Emitech. (n.d.). Vehicle battery approval: UN ECE R100. https://www.emitech.fr/en/vehicle-battery-approval-un-ece-r100-rev3-and-ece-R100-rev2
- 15.ATIC. (2023, November 3). UN ECE R100 vehicle electrical safety and power battery draft regulations updated. <u>https://www.atic-ts.com/un-ece-r100-vehicle-electrical-safety-and-power-battery-draft-regulations-updated</u>
- 16.GlobalSpec. (n.d.). EN 50604-1:2017 Secondary lithium cells and batteries. https://standards.globalspec.com/std/14417011/en-50604-1
- 17. Zurich Insurance. (n.d.). EV charging: Fire safety guidance. https://www.zurich.co.uk/-/media/news-and-insight/documents/useful-documents/zrs-ev-charging.pdf
- 18.BSI Group. (n.d.). FLEX 2071: Fire safety of electric vehicle charging infrastructure. https://www.bsigroup.com/siteassets/pdf/en/insights-and-media/insights/brochures/flex-2071.pdf
- 19.ECA. (n.d.). Guidance on electrical safety for electric vehicle charging. https://www.eca.co.uk/CMSPages/GetFile.aspx?guid=8cc721f4-ddcd-405e-b89a-83cb366a9f97
- 20.IET (Institution of Engineering and Technology). (2023, November). EV charging point fire safety considerations. https://electrical.theiet.org/wiring-matters/years/2023/98-november-2023/electric-vehicle-charging-point-fire-safety-considerations
- 21.UK Government. (2024, January). Covered car parks: Fire safety guidance for electric vehicles. https://assets.publishing.service.gov.uk/media/65bb7b5ccc6fd600145dbe1a/covered-car-parks-fire-safety-guidance-for-electric-vehicles.pdf
- 22. Federal Emergency Management Agency (FEMA). (n.d.). Fire Prevention and Safety Grant Program. https://www.fema.gov/sites/default/files/documents/fema_gpd-fy-2023-fps-faqs.pdf
- 23. Marlowe Fire & Security. (n.d.). Very early warning aspirating smoke detection (VESDA). https://marlowefireandsecurity.com/solutions/fire-protection/vesda
- 24.EV FireSafe. (n.d.). EV fire key findings. https://www.evfiresafe.com/ev-fire-key-findings
- 25. Motor Vehicle Fire Research Institute (MVFRI). (2008). Fire safety research. https://www.mvfri.org/Library/Other%20Reports/VehicleReport2008.pdf
- 26. Fleet News. (n.d.). Tusker fleet data reveals the truth about EV fires. https://www.fleetnews.co.uk/news/tusker-fleet-data-reveals-the-truth-about-ev-fires
- 27.USFA. (n.d.). Fire estimate summaries. https://www.usfa.fema.gov/downloads/pdf/statistics/v9i7.pdf
- 28.ICCT. (2024, October). Clearing the air: EVs and lower fire risk. https://theicct.org/clearing-the-air-evs-could-bring-lower-fire-risk-oct24
- 29. The Guardian. (2023, November 20). Do electric cars pose a greater fire risk? https://www.theguardian.com/business/2023/nov/20/do-electric-cars-pose-a-greater-fire-risk-than-petrol-or-diesel-vehicles
- 30. Allied World Insurance. (n.d.). EV fires: A cause for concern? https://alliedworldinsurance.com/risk-management/electric-vehicle-fires-a-cause-for-concern
- 31. University of Miami. (2024). Electric vehicle fire staged to study environmental health ramifications. https://news.med.miami.edu/electric-vehicle-fire-staged-to-study-environmental-health-ramifications

